

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eamon Wall Reg. No. 39414 on 05/15/2008.

IN THE SPECIFICATION:

Replace the first paragraph starting on line 7 so it may read as follows.

This application is related to co-pending U.S. Patent No. 6,708,213 filed on March 29, 2000 by Ethendranath Bommaiah, Katherine H. Guo, Markus Hofmann, and Sanjoy Paul, having a common assignee; the contents of which are incorporated herein by reference.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID E. ENGLAND whose telephone number is (571)272-3912. The examiner can normally be reached on Mon-Thur, 7:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David E. England
Primary Examiner
Art Unit 2143

/David E. England/
Examiner, Art Unit 2143

/Nathan J. Flynn/
Supervisory Patent Examiner, Art Unit 2154